FIRESTONE



ABRASIVES

PRODUCT CATALOG

研磨產品目錄





研磨絨盤
Type 27 Stripping Wheels

研磨絨盤主要由特殊的纖維為基材，再黏接研磨礦砂而構成，開放式網狀立體結構，在使用時，可均衡研磨，不會傷到工件。




安裝機具: 直角砂輪機
使用對象: 物件表面加工
使用說明: 去油漆、除鏽

The stripping wheel flexible characteristic allows the wheel to grind the workpiece evenly without denting the surface.

Machine: Angle grinder
Available for: Surface working
Application: Removes old coating, rust and paint


Surface wood cleaning
表面木材修整


Surface paint removal
表面油漆移除



Silicon Carbide
碳化矽顯微照


Brown Fused Alumina
棕剛玉顯微照

直徑 x 內徑	直徑 x 內徑	頂蓋
Dia. x Arbor	**Dia. x Arbor**	**Topping**
102 x m10 內牙	4" x m10	Plastic 塑蓋
102 x 16mm	4" x 5/8"	Plastic 塑蓋
115 x 22.2mm	4-1/2" x 7/8"	Plastic 塑蓋
127 x 22.2mm	5" x 7/8"	Plastic 塑蓋




16mm topping 無牙塑蓋






m10 topping 內牙塑蓋





本公司研磨絨盤m10塑蓋採用金屬內牙，可進一步提升使用者的安全，避免在下壓打磨時，發生崩牙的情形。

Firestone T27 stripping wheel uses copper nut.
It can improve user safety and prevent the screw from being stripped during aggressive polishing application.



砂紙盤
Resin Fiber Discs



砂紙盤主要由磨料，樹脂結合劑，及紙盤組成的研磨工具。砂紙盤結構具有彈性，與工件接觸時，可提供廣泛研磨面積。適合對廣泛材料進行表面加工。

安裝機具: 直角砂輪機

Resin Fiber Discs are made with heavy duty vulcanize fiber as backing, strict selection of abrasive grain and bond with specially formulated resin. Vulcanize fiber backing provides high tension strength to hold abrasive grain together. Resin fiber disc is flexible to allow maximum contact to the area of work piece.

Machine: Angle grinder


Cement polishing 水泥拋光


Rust removal 除鏽,拋光



砂紙盤 黑碳化矽 非金屬研磨

使用對象: 一般金屬，非金屬材質

RESIN FIBER DISCS
with Black Silicon Carbide for Non-Ferrous Metal Sanding

Available for: General metal, non-metal material

Application 參考用途

16~24	30~36	40	60	80	100	120
Ship Heavy Rust Removal 船身粗磨除鏽 Concrete Grinding 混泥土打磨 Masonry Grinding 石材研磨						
		Wood Work Grinding 木材表面研磨 Glass Fiber Grinding 玻璃纖維研磨				



砂紙盤 鋯剛玉 金屬研磨

使用對象: 一般金屬，低碳鋼

RESIN FIBER DISCS
with Zirconia Alumina for Ferrous Metal Sanding

Available for: General Metal, Low Carbon Steel

Application 參考用途

20	24	30	36	46	60	80
Heavy Stock Removal 金屬粗磨						
		Heavy Weld Marks Removal 移除粗電焊疤				
			Prep. Metal for Paint Work 上漆預備拋光			



砂紙盤 陶瓷剛玉 金屬研磨

使用對象: 不鏽鋼，高碳鋼，合金鋼

使用說明: 金屬粗磨，移除電焊疤

Resin Fiber Discs
with Blue Ceramic Alumina for Ferrous Metal Sanding

Available for: Stainless, High Carbon Steel

Application: Stock removal, Weld mark removal

噴砂介質


介質種類：棕剛玉、碳化矽、玻璃微珠



噴砂介質是一種高效磨料，其清潔原理是配合噴砂槍用高氣壓輸出，以介質銳利的尖角撞擊做清潔，可用於汽車修理業、化工廠、環境淨化、模具廠、道路修補等許多領域 。可清潔和蝕刻許多類型的表面，包括金屬、木材、玻璃、花崗岩、大理石等材質。多用於清潔鐵鏽、油漆髒汙等。

Abrasive Blasting Media

Abrasive blasting media is a high-efficiency abrasive material used with a blasting gun to clean and etch surfaces like metal, wood, glass, and stone. It's commonly applied in automotive repair, chemical plants, and environmental cleanup for removing rust, paint, and other contaminants.



Types of abrasives: 1) Brown Fused Alumina
2) Silicon Carbide
3) Glass Beads



重碳菜瓜布

專為清除金屬表面頑固油脂、焦碳沉積和生鏽部分而設計，不用搭配其他氣動工具使用，非常適合用於廚房、燒烤架以及金屬表面清潔等等，因特殊設計而具有能夠承受高強度使用的特性，堅固且可重複使用。



Griddle Cleaning Pads

Specifically designed for removing stubborn grease, carbon deposits, and rust from metal surfaces. It does not require the use of additional pneumatic tools, making it ideal for use in kitchens, on grills, and for cleaning metal surfaces.
Its special design allows it to withstand heavy-duty usage, ensuring it is durable and reusable.

FIRESTONE



3英寸快速更換式絨盤

搭配3英寸橡膠盤墊及1/4英寸柄使用做打磨、界面研磨以及去除銹跡、油漆、舊塗層、焊接飛濺、結垢、氧化物和其他表面污染物。具有3D開放結構。纖維網之間的空隙確保防堵塞及散熱功用，常用於木材、金屬和玻璃纖維等材質表面清潔。



3" Quick Change Easy Strip Discs

Use with a 3-inch rubber pad and 1/4-inch shank for grinding, removing rust, paint, old coatings, and other contaminants. The 3D open structure ensures anti-clogging and heat dissipation, ideal for wood, metal, and fiberglass surfaces.



黏扣帶研磨絨盤

研磨絨盤背面附有黏扣帶，有多種規格及形狀，可配合不同的研磨工具及使用環境挑選適合自己的規格，3D彈性結構能夠有效排除碎屑防止堵塞。



40 x14mm



150 x 90mm

Stripping Wheel with Hook & Loop Fasteners Backing

The back of the abrasive pad is equipped with a hook-and-loop fastener, available in various sizes and shapes to match different grinding tools and environments. The 3D flexible structure effectively removes debris and prevents clogging.

FIRESTONE ABRASIVES CO., LTD
鋒泰五金有限公司,台南市下營區公園路179號, 郵編73542
NO.179, Gongyuan Rd., Xiaying Dist., Tainan City 735, Taiwan (R.O.C.) Zip Code: 73542
Tel: +886 6 6896060 Fax: +886 6 6899090
E-mail: info@fsabr.com www.fsabr.com

LINE YOUTUBE



網狀砂輪


網狀砂輪主要由磨料，樹脂結合劑，玻璃纖維網組成的切割工具。網狀開放性結構，加強冷卻效果，研磨時不易因高溫而破壞工件。1型網狀砂輪可對非金屬材質進行切割，請勿將1型網狀砂輪用於研磨或其它用途。

安裝機具: 直角砂輪機
使用對象: 玻璃纖維、塑膠、硬紙板、木材、皮革、其它非金屬類
使用說明: 切割、輕研磨

Type 1 Sand Screen Discs

Sand Screen Disc is composed of abrasive grain, phenolic resin and other filler. The mixture is coated on the glass fiber to create an open structure with large pores, which allows the wheel to cool down easily without generating excess heat. The open structure of the wheel is clogged resistance. It is excellent for removing non-metal and other soft material at a fast rate.

Machine: Angle grinder
Available for: Glass fiber, plastic, cardboard, wood, leather, non-metal material
Application: Cutting, light grinding



關於鋒泰

願景：經由鋒泰生產製造的產品能夠
與其它國際大廠的品質同級齊名。

使命：
1)安全：確保產品有符合安全要求，
做好產品使用宣導，降低人員發生意外。
2)品質：確保產品品質穩定性，
降低每一批交貨的品質差異。
3)服務：傾聽用戶的訴求，必要時做出產品的調整，
盡力符合客戶在研磨產品上的需求。

About Firestone

Vision: Product's quality made by Firestone are comparable with top tier brand.

Mission:
1)Safety: Safety is the top priority. Promote correct product safety practice.
2)Quality: Ensure product quality consistency. Reduce the quality difference between each batch.
3)Service: Firestone will make changes and improvement based on our valuable customer feedback.

FIRESTONE ABRASIVES CO., LTD
鋒泰五金有限公司,台南市下營區公園路179號, 郵編73542
NO.179, Gongyuan Rd., Xiaying Dist., Tainan City 735, Taiwan (R.O.C.) Zip Code: 73542
Tel:+886 6 6896060 Fax:+886 6 6899090

LINE YOUTUBE